

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **White Diamond Black Pearl**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses vehicle polish

#### 1.3 Details of the supplier of the safety data sheet

Schultz Laboratories, Inc.  
P.O. Box 400  
Boone, IA. 50036  
United States

Importer: Lindon Davies  
Unit 2, Pineview  
Hillside Industrial Park  
Draycott Cross Road  
Cheadle  
Staffordshire  
ST10 1AB  
Sales@whitediamondeu.com  
Accounts@whitediamondeu.com  
www.whitediamondeu.com

#### 1.4 Emergency telephone number

07720 764049

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

GHS chapter	-	Hazard class and category	-	Hazard statement code(s)
3.5	germ cell mutagenicity	Cat. 1B	(Muta. 1B)	H340
3.6	carcinogenicity	Cat. 1B	(Carc. 1B)	H350
3.10	aspiration hazard	Cat. 1	(Asp. Tox. 1)	H304

##### Remarks

For full text of H-phrases: see SECTION 16.

##### Classification according to Directive 1999/45/EC (DPD)

##### Indication(s) of danger - Symbol codes - R-phrases

harmful Xn; R65  
carcinogenic Carc. Cat. 2; R45  
mutagenic Muta. Cat. 1; R46

##### Remarks

For full text of R-phrases: see SECTION 16.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

##### Signal word

Danger

##### Pictograms

GHS08



##### Hazard statements

H304 May be fatal if swallowed and enters airways.  
H340 May cause genetic defects.  
H350 May cause cancer.

##### Precautionary statements

###### Precautionary statements - prevention

P201 Obtain special instructions before use.  
P281 Use personal protective equipment as required.

###### Precautionary statements - response

P301+P310 IF SWALLOWED: immediately call a POISON CENTER or doctor/physician.  
P308+P313 IF exposed or concerned: get medical advice/attention.  
P331 Do NOT induce vomiting.

###### Precautionary statements - storage

P405 Store locked up.

###### Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

**Hazardous ingredients for labelling:** odorless mineral spirits

### 2.3 Other hazards

This material is combustible, but will not ignite readily. Special danger of slipping by leaking/spilling product.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Classification acc. to 67/548/EEC	Symbols
odorless mineral spirits	CAS No 64742-48-9 EC No 265-150-3	10 - < 25	Muta. 1B / H340 Carc. 1B / H350 Asp. Tox. 1 / H304		harmful; Xn; R65 carcinogenic; Carc. Cat. 2; R45 mutagenic; Muta. Cat. 1; R46	
dimethylsiloxane cyclic tetramer	CAS No 556-67-2 EC No 209-136-7	1 - < 5	Flam. Liq. 3 / H226 Repr. 2 / H361f Aquatic Chronic 4 / H413	 	toxic for reproduction; Repr. Cat. 3; R62 dangerous for the environment; R53	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

For full text of abbreviations: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

water spray, alcohol resistant foam

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

Covering of drains.

##### Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, diatonic soil, sand, universal binder).

##### Appropriate containment techniques

Use of adsorbent materials.

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

##### Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

##### • Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

##### Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### • Control of effects

• Protect against external exposure, such as frost

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
EU	4-methylpentan-2-one	108-10-1	IOELV	20	83	50	208	2000/39/EC
UK	4-methylpentan-2-one	108-10-1	WEL	50	208	100	416	EH40/2005
UK	ethanol	64-17-5	WEL	1,000	1,920			EH40/2005
UK	propan-2-ol	67-63-0	WEL	400	999	500	1,250	EH40/2005

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

#### Relevant DNELs/DMELs/PNECs and other threshold levels

##### • relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
dimethylsiloxane cyclic tetramer	556-67-2	DNEL	14.9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
dimethylsiloxane cyclic tetramer	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

##### • relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	0.44 µg/l	aquatic organisms	freshwater	short-term (single instance)
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	0.044 µg/l	aquatic organisms	marine water	short-term (single instance)
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	10 mg/l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	0.59 mg/kg	benthic organisms	sediments	short-term (single instance)
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	0.059 mg/kg	pelagic organisms	sediments	short-term (single instance)
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	1.7 mg/kg	(top) predators	water	short-term (single instance)
dimethylsiloxane cyclic tetramer	556-67-2	PNEC	0.15 mg/kg	terrestrial organisms	soil	short-term (single instance)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state liquid (viscous)

Colour darkgray

Odour mild vanilla

#### Other physical and chemical parameters

pH (value) not determined

Melting point/freezing point not determined

Initial boiling point and boiling range >65 °C at 1 atm

Flash point 63 °C at 101.3 kPa 146 °F at 1 atm

Evaporation rate not determined

Flammability (solid, gas) not relevant (fluid)

Explosive limits not determined

Vapour pressure 132 Pa at 25 °C

Density not determined

Relative density 1 water = 1

Solubility(ies) not determined

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	384 °C
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Solvent content	90.43 %
Solid content	9.56 %

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

**Physical stresses which might result in a hazardous situation and have to be avoided**

strong shocks

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

May cause genetic defects.

May cause cancer.

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

### Aspiration hazard

May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

##### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
dimethylsiloxane cyclic tetramer	556-67-2	LC50	>22 µg/l	fish	96 hours
dimethylsiloxane cyclic tetramer	556-67-2	EC50	>1,000 mg/l	aquatic invertebrates	96 hours

#### Aquatic toxicity (chronic)

##### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
odorless mineral spirits	64742-48-9	EC50	15.41 mg/l	microorganisms	40 h
dimethylsiloxane cyclic tetramer	556-67-2	LC50	10 µg/l	fish	14 d
dimethylsiloxane cyclic tetramer	556-67-2	EC50	>500 mg/l	aquatic invertebrates	24 h

### 12.2 Process of degradability

Data are not available.

#### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
dimethylsiloxane cyclic tetramer	556-67-2	carbon dioxide generation	3.7%	29 d



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
dimethylsiloxane cyclic tetramer	556-67-2	12,400	4.45	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

### 13.2 Relevant provisions relating to waste

#### List of wastes

not assigned

### 13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

- 14.1** UN number (not subject to transport regulations)
- 14.2** UN proper shipping name not relevant
- 14.3** Transport hazard class(es)  
Class -
- 14.4** Packing group not relevant
- 14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regulations)
- 14.6** Special precautions for user  
There is no additional information.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The cargo is not intended to be carried in bulk.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

• **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 21.9%

• **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 18.1%

#### National regulations (Austria)

• **Ordinance on combustible liquids (VbF)**

VbF (group and hazard class): AIII

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
Asp. Tox.	aspiration hazard
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
Carc.	carcinogenicity
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical Oxygen Demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
DPD	Dangerous Preparations Directive (1999/45/EC)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits, Table 1: List of approved workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
Flam. Liq.	flammable liquid

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Muta.	germ cell mutagenicity
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	reproductive toxicity
VbF	ordinance on combustible liquids (Austria)
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
Xn	harmful

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 453/2010/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/ environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapour
H304	may be fatal if swallowed and enters airways
H340	may cause genetic defects
H350	may cause cancer
H361f	suspected of damaging fertility
H413	may cause long lasting harmful effects to aquatic life
R45	may cause cancer
R46	may cause heritable genetic damage
R53	may cause long-term adverse effects in the aquatic environment
R62	possible risk of impaired fertility
R65	harmful: may cause lung damage if swallowed

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## White Diamond Black Pearl

Version number: GHS 1.0

Date of compilation: 2014-12-23

---

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.